






ULTRA





AXON




VAGUS



Nerve Audio



## ULTRA




Coaxial geometry single silver plated copper center conductor surrounded by a silver plated copper braided shield. Ultra low capacitance Teflon dielectric insulated cables fabricated to aerospace specifications using the high purity silver plated copper. Manufactured and hand terminated in the USA with Nerve Audio Silver Element™ RCA connectors and WBT silver content solder. Available in both a stranded 24AWG and solid 26AWG Litz version.

### Ultra Features Include:

- \* Coaxial shielded conductor geometry
- \* Mil spec silver plated copper conductors (available in both stranded and solid configurations)
- \* Mil spec silver plated copper braided shield (85% minimum coverage braid)
- \* Ultra low capacitance Teflon dielectric (41pf/ft)
- \* Ultra low profile diameter (2.15mm)
- \* U.S. aerospace mil spec quality raw cable
- \* Proprietary Nerve Audio Silver Element™ RCA connectors
- \* Hand terminated in the U.S.A with WBT silver content solder
- \* 46pf capacitance per/ft

## AXON




Two high purity silver plated copper conductors surrounded by a silver plated copper braided shield. Each conductor is fabricated using 19 very fine individual wires wrapped in a low dielectric Teflon insulator. Conductors are shielded by a 75% minimum coverage silver plated copper braided shield. Manufactured and hand terminated in the USA.

### Axon Features Include:

- \* Shielded twisted pair geometry
- \* Mil spec silver plated copper stranded conductors
- \* Mil spec silver plated Copper shield (75% minimum coverage braid)
- \* Ultra low capacitance Teflon dielectric (28pf/ft)
- \* Low profile diameter (3.75mm)
- \* Available in balanced, unbalanced, or floating shield terminations (XLR, RCA, XLR&RCA)
- \* Hand terminated in the U.S.A with WBT silver content solder
- \* 23pf capacitance per/ft

## VAGUS



Three plated copper conductors surrounded by a silver plated copper braided shield. Only the finest quality parts and materials were used in the production of this cable which includes Nerve Audio's proprietary Silver Element™ connectors and/or Neutrik™ silver XLRs. Available in both a stranded 22AWG and solid 24AWG conductor version. This is Nerve Audio's highest quality reference cable.

### Vagus Features Include:

- \* Shielded triple twisted conductor geometry
- \* Mil spec silver plated copper conductors (available in both stranded and solid configurations)
- \* Mil spec silver plated copper braided shield (92% minimum coverage braid)
- \* Proprietary Nerve Audio Silver Element™ RCA connectors
- \* Ultra low capacitance Teflon dielectric (33pf/ft)
- \* Ultra low profile diameter (2.15mm)
- \* Available in balanced, unbalanced, or floating shield terminations (XLR, RCA, XLR&RCA)
- \* XLR configuration terminated with silver Neutrik XLRs
- \* Hand terminated in the U.S.A with WBT silver content solder
- \* 19.8pf capacitance per/ft

# Nerve Audio

## PH-1

The PH-1 Moving Magnet phono stage was designed by Jeff Boccaccio and hand made in small quantities. The PH-1 represents our statement about the quality value cross point. Designed for the budget conscious audiophile and custom theater integrator. The slimline, black anodized case can be easily hidden behind a theater system for seamless integration, but is a cosmetic addition to any audiophile or home theater system. Solid construction, minimalist circuitry and low profile design.

- \* RIAA equalization
- \* Signal to Noise Ratio: 80 db unweighted
- \* Crosstalk better than 80 db (only noise can measured)
- \* Dimensions: 2.5" wide, 1.5" high, 4.5" Long
- \* 1.5 volts out with 5mv input
- \* THD 20 Hz – 20 kHz: <.05%

## C.A.P.

The Cartridge Alignment Protractor (C.A.P) is used to precisely align a phono cartridge on turntables that have head shell cartridge adjustments. A properly aligned cartridge not only will yield better sounding playback, but will reduce wear on both the stylus and records. The C.A.P. features a machined grid alignment matrix with a center bulls-eye point that allows you to quickly and accurately align the stylus on various head shells. The polished surface on the matrix plate helps the user to easily and precisely adjust the stylus on the alignment point. This is the most accurate cartridge alignment device that we are aware of. Machined from T6-6061 aluminum for accuracy and durability. Experience your phono system at its best. A must for any serious phono enthusiast.

## Iso-Cones

Aluminum Isolation Cones beautifully machined from T6-6061 billet aluminum. Ultra stable 35mm diameter base milled to a fine point 35.5mm tall. These cones provide stable self leveling isolation for both components and speakers. Experience large improvements in clarity and reduction of acoustic vibrations throughout your entire system. Cones feature a high polish finish with a machined M4 threaded insert for optional permanent mounting. (Set of 3 Cones)

## Silver Element

The Silver Element™ RCA is a Nerve Audio proprietary design. We set out to create a understated low profile connector that is easy to install. Here at Nerve Audio we hand terminate all our cables. The Silver Element is an evolution of every connector we have seen or used. Implementing several new design features that make soldering this connector a breeze.

### Featuring:

- \* Low profile barrel
- \* Silver Plated contacts
- \* Multiple grounding points
- \* Matte silver finish barrel

## 5-HT

The 5-HT isolation pods provide isolation by incorporating three different materials in the design. The first layer of isolation is provided by a AS568 O-ring which provides the anti-skid footing. The second layer is a machined block of natural exotic wood or Delrin . The third layer is provided by a load bearing Zectron™ sphere. Properly placing the 5-HT's under your equipment will provide excellent acoustic and electrical isolation. Vibrations are dampened between components reducing distortion and noise. The 5-HTs are sold as a set of three.

## LITZ Wires

Silk wrapped headshell leads available in both copper and silver plated copper. Both versions use high purity oxygen free copper wire soldered to a machined 14K gold-plated brass connector. Each strand is comprised of separately enameled conductors that are then twisted in a silk wrapped Litz construction. Only the highest quality materials were used in the fabrication of these wires. The Litz wires provide great conductivity for the highest quality of head shells. Sold in color coded sets of four.